


PENNSYLVANIA SAW CORPORATION
810 Broad Street Newark, N. J.

Factory - York, Penna., U. S. A.

CATALOGUE No. 12

FAMOUS TRIPLE TEST STEEL


"PENN STATE" SAWS




A-1 Straight Back
AA-1 Skew Back
[CHROME VANADIUM STEEL]




A-2 Straight Back
AA-2 Skew Back
[CHROME VANADIUM STEEL]




A-3 Straight Back
AA-3 Skew Back
[CHROME ALLOY STEEL]



A-4 Straight Back
AA-4 Skew Back
[HIGH SPEED STEEL]



A-5 Straight Back
AA-5 Skew Back
[HIGH SPEED STEEL]



"PENN STATE"
Silver Striped Saws



FAMOUS **TRIPLE TEST** STEEL "PENN STATE" SAWS



Perfection in **ALLOY** and **HIGH SPEED STEELS** found only in "PENN STATE" famous "TRIPLE TEST" saws. All "PENN STATE" saws are **FULL 4-GAUGE TAPER GROUND** with expert precision. Highly polished with ribbon edge. Handles hand rubbed and finished. Chromium plated screws. Teeth **BEVEL FILED** to diamond point. Perfectly balanced.

A-1 (Straight Back)

AA-1 (Skew Back)

Finest **CHROME VANADIUM STEEL ALLOY** blade; full precision **FULL 4-GAUGE TAPER GROUND**; bevel filed; handle of extra size with hand rubbed mahogany finish; chromium plated screws. This saw in every detail represents the height of saw perfection.

No.	Style	Points Cross Cut	Points Rip	Length of Blade	Price Per Dozen	Weight Per Dozen	Packing
A-1	Straight Back	7, 8, 10	5 1/2	26 inch		20 pounds	1/3 Dozen
AA-1	Skew "	7, 8, 10		26 "		20 "	1/3 "

A-2 (Straight Back)

AA-2 (Skew Back)

High quality **CHROME VANADIUM** steel; precision **FULL 4-GAUGE TAPER GROUND**; bevel filed teeth. Handle hand rubbed oak finish. Chromium plated screws. Well balanced and universally approved by mechanics.

No.	Style	Points Cross Cut	Points Rip	Length of Blade	Price Per Dozen	Weight Per Dozen	Packing
A-2	Straight Back	7, 8, 10		24 inch		19 pounds	1/3 Dozen
A-2	" "	7, 8, 10	5 1/2	26 "		20 "	1/3 "
AA-2	Skew "	7, 8, 10		24 "		19 "	1/3 "
AA-2	" "	7, 8, 10		26 "		20 "	1/3 "

A-3 (Straight Back)

AA-3 (Skew Back)

ALLOY STEEL blade of special analysis making this saw one of lasting value. Popular among skilled mechanics. Bevel filed. Precision **FULL 4-GAUGE TAPER GROUND**. Handle of extra size, mahogany finish. Chromium plated screws.

No.	Style	Points Cross Cut	Points Rip	Length of Blade	Price Per Dozen	Weight Per Dozen	Packing
A-3	Straight Back	5, 7, 8, 10		24 inch		19 pounds	1/3 Dozen
A-3	" "	5, 7, 8, 10	5 1/2	26 "		20 "	1/3 "
AA-3	Skew "	5, 7, 8, 10		24 "		19 "	1/3 "
AA-3	" "	5, 7, 8, 10		26 "		20 "	1/3 "

A-4 (Straight Back)

AA-4 (Skew Back)

HIGH SPEED steel correctly tempered with a view toward toughness and long life. Well polished blade assembled to superbly finished handle with chromium plated screws. Bevel filed teeth. **FULL 4-GAUGE TAPER GROUND**.

No.	Style	Points Cross Cut	Points Rip	Length of Blade	Price Per Dozen	Weight Per Dozen	Packing
A-4	Straight Back	5, 7, 8, 10		24 inch		19 pounds	1/3 Dozen
A-4	" "	5, 7, 8, 10		26 "		20 "	1/3 "
A-4	" "		5 1/2	24 "		19 "	1/3 "
A-4	" "		5 1/2	26 "		20 "	1/3 "
AA-4	Skew "	8, 10		20 "		14 "	1/3 "
AA-4	" "	7, 8, 10		22 "		15 "	1/3 "
AA-4	" "	5, 7, 8, 10		24 "		19 "	1/3 "
AA-4	" "	5, 7, 8, 10		26 "		20 "	1/3 "


A-5 (Straight Back)

AA-5 (Skew Back)

A sturdily constructed saw with special **HIGH SPEED** steel blade **FULL 4-GAUGE TAPER GROUND** assembled to over size maple finish handle with chromium plated screws. Bevel filed teeth.

No.	Style	Points Cross Cut	Points Rip	Length of Blade	Price Per Dozen	Weight Per Dozen	Packing
A-5	Straight Back	5, 7, 8, 10		24 inch		19 pounds	1/3 Dozen
A-5	" "	5, 7, 8, 10		26 "		20 "	1/3 "
A-5	" "		5 1/2	24 "		19 "	1/3 "
A-5	" "		5 1/2	26 "		20 "	1/3 "
AA-5	Skew "	8, 10		20 "		14 "	1/3 "
AA-5	" "	7, 8, 10		22 "		15 "	1/3 "
AA-5	" "	5, 7, 8, 10		24 "		19 "	1/3 "
AA-5	" "	5, 7, 8, 10		26 "		20 "	1/3 "

Permanently etched silver striping may be applied to any "PENN STATE" Brand hand saw blade at an added cost of six cents per saw. The striping is applied to both sides of the blade. Very effective. If striping is desired add to catalogue number the letter "S".



EASY "CUSHION GRIP" HANDLES

PENNSYLVANIA SAW CORPORATION

Thin Back Saws at Popular Prices

For General Use

TAPER GROUND, full two gauge. Teeth bevel filed and set. Well balanced. Superior quality tempered spring steel. First grade hardwood handles; varnish finish. Nickel plated screws and medallion.

No. 190 "COMMODORE" (Skew Back) (Taper Ground)

No.	Length of blade	Style	Tooth Point Cross Cut Rip	Weight Per Dozen	Packing	Price Per Dozen
190	24 inch	Skew Back	8, 10	18 pounds	1/2 dozen	
	26 inch	Skew Back	8, 10	19 pounds	1/2 dozen	

NOTE: Packed 1/2 dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.

No. 190-A "COMMODORE" (Straight Back) (Taper Ground)

No.	Length of blade	Style	Tooth Point Cross Cut Rip	Weight Per Dozen	Packing	Price Per Dozen
190A	24 inch	Straight Back	8, 10 5 1/2	18 pounds	1/2 dozen	
	26 inch	Straight Back	8, 10 5 1/2	19 pounds	1/2 dozen	

NOTE: Packed 1/2 dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.

No. 191 "ROYAL CROWN" (Skew Back) (Taper Ground)

No.	Length of blade	Style	Tooth Point Cross Cut Rip	Weight Per Dozen	Packing	Price Per Dozen
191	20 inch	Skew Back	8, 10	12 pounds	1/2 dozen	
	24 inch	Skew Back	8, 10	18 pounds	1/2 dozen	
	26 inch	Skew Back	8, 10	19 pounds	1/2 dozen	

NOTE: Packed 1/2 dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.

No. 191-A "ROYAL CROWN" (Straight Back) (Taper Ground)

No.	Length of blade	Style	Tooth Point Cross Cut Rip	Weight Per Dozen	Packing	Price Per Dozen
191A	20 inch	Straight Back	8, 10 5 1/2	12 pounds	1/2 dozen	
	24 inch	Straight Back	8, 10 5 1/2	18 pounds	1/2 dozen	
	26 inch	Straight Back	8, 10 5 1/2	19 pounds	1/2 dozen	

NOTE: Packed 1/2 dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.

No. 192 "DEERFIELD" (Ruler Edge) (Taper Ground)

A combination saw, rule, straight edge and square. Ruler is deeply etched on back edge of saw to insure permanent marking for life of the saw. Handle cut to form a fixed square of 45° and 90°.

No.	Length of blade	Style	Tooth Point Cross Cut Rip	Weight Per Dozen	Packing	Price Per Dozen
192	26 inch	Straight Back	8, 10 5 1/2	19 pounds	1/2 dozen	

NOTE: Packed 1/2 dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.

Order Through Your Jobber





Skew Back



Straight Back

BIRMINGHAM BRAND

Highest quality of the flat ground line of saws. Extra heavy blade for hard work. Used with the coarser teeth for cutting timber and heavier lumber. Also made with fine teeth for general work. Teeth are accurately filed and set.

No.	Style	Length of Blade	Tooth Points		Weight per Doz.	Packing	Price per Doz.
			Cross Cut	Rip			
320	Skew Back	20 inches	8, 10		12 pounds	1/2 dozen	
320-A	Straight Back	20 inches	8, 10	5 1/2	12 pounds	1/2 dozen	
322	Skew Back	22 inches	8, 10		13 pounds	1/2 dozen	
322-A	Straight Back	22 inches	8, 10		13 pounds	1/2 dozen	
324	Skew Back	24 inches	8, 10		17 pounds	1/2 dozen	
324-A	Straight Back	24 inches	8, 10		17 pounds	1/2 dozen	
326	Skew Back	26 inches	8, 10		18 pounds	1/2 dozen	
326-A	Straight Back	26 inches	5, 8, 10	5 1/2	18 pounds	1/2 dozen	

NOTE: Packed 1/2 dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.



Skew Back



Straight Back

SUPERIOR BRAND


An unusual saw of outstanding merit. Proper hang for easy cutting and has all the features which have made Pennsylvania Saw Corporation saws popular. Nickel plated screws and medallion. Carved, first quality beech handle with dark cherry finish.

No.	Style	Length of Blade	Tooth Points		Weight per Doz.	Packing	Price per Doz.
			Cross Cut	Rip			
2000	Skew Back	20 inches	8, 10		11 pounds	1/2 dozen	
2000-A	Straight Back	20 inches	8, 10		11 pounds	1/2 dozen	
2200	Skew Back	22 inches	8, 10		13 pounds	1/2 dozen	
2200-A	Straight Back	22 inches	8, 10		13 pounds	1/2 dozen	
2400	Skew Back	24 inches	7, 8, 10		16 pounds	1/2 dozen	
2400-A	Straight Back	24 inches	7, 8, 10	5 1/2	16 pounds	1/2 dozen	
2600	Skew Back	26 inches	5, 7, 8, 10		17 pounds	1/2 dozen	
2600-A	Straight Back	26 inches	5, 7, 8, 10	5 1/2	17 pounds	1/2 dozen	

NOTE: Packed 1/2 dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.



Skew Back



Straight Back

IMPERIAL BRAND

An all purpose saw for general workshop use. Perfect balance. The extra quality tempered steel used in this saw gives lasting satisfaction. Nickel plated screws and medallion. Hardwood carved grip handle with light walnut varnish finish.

No.	Style	Length of Blade	Tooth Points		Weight per Doz.	Packing	Price per Doz.
			Cross Cut	Rip			
1020	Skew Back	20 inches	10		11 pounds	1/2 dozen	
1020-A	Straight Back	20 inches	10		11 pounds	1/2 dozen	
1022	Skew Back	22 inches	10		13 pounds	1/2 dozen	
1022-A	Straight Back	22 inches	10		13 pounds	1/2 dozen	
1024	Skew Back	24 inches	8		16 pounds	1/2 dozen	
1024-A	Straight Back	24 inches	8		16 pounds	1/2 dozen	
1026	Skew Back	26 inches	8		17 pounds	1/2 dozen	
1026-A	Straight Back	26 inches	8	5 1/2	17 pounds	1/2 dozen	

NOTE: Packed 1/2 dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.

Order Through Your Jobber

PENNSYLVANIA SAW CORPORATION

"Yorktowne"

brand saws fill a need for high quality promotion merchandise. The steel used in all "YORKTOWNE" brand saw blades is a high quality, flat ground, tempered spring steel. Handles are made of first quality hard beech and well varnished. They have sharp teeth which are set, ready for use.



"YORKTOWNE" BRAND

JUNIOR MECHANICS' SAW. A handy saw for tool kits and manual training shops. Well constructed. Tempered spring steel blades. Varnished, hardwood handle. Teeth set, ready for use. Skew back blade.


No.	Length of Blade	Length Over All	Tooth Points per Inch	Weight per Dozen	Packing	Price per Dozen
1250	12 inches	15½ inches	10	8 pounds	1 dozen	
1450	14 inches	17½ inches	10	9 pounds	1 dozen	
426	16 inches	19½ inches	10	10 pounds	1 dozen	



"YORKTOWNE" BRAND

JUNIOR MECHANICS' SAW. Same as No. 426 above except straight back design.

No.	Length of Blade	Length Over All	Tooth Points per Inch	Weight per Dozen	Packing	Price per Dozen
426-A	16 inches	19½ inches	10	10 pounds	1 dozen	



"YORKTOWNE" BRAND

WORKSHOP SPECIAL. This saw should be on every workbench. Just the right size for all odd jobs. Tempered spring steel blade. Varnished hardwood handle. Teeth set ready for use. Skew back blade.

No.	Length of Blade	Length Over All	Tooth Points per Inch	Weight per Dozen	Packing	Price per Dozen
418	18 inches	22 inches	10	11 pounds	1 dozen	
210	20 inches	24 inches	10	12 pounds	1 dozen	



"YORKTOWNE" BRAND

WORKSHOP SPECIAL. Same as Nos. 418 and 210 above except straight back design.

No.	Length of Blade	Length Over All	Tooth Points per Inch	Weight per Dozen	Packing	Price per Dozen
418-A	18 inches	22 inches	10	11 pounds	1 dozen	
210-A	20 inches	24 inches	10	12 pounds	1 dozen	



"YORKTOWNE" BRAND

This saw serves a useful and popular demand for household, workshop and manual training use. Well balanced throughout. Blade made of high quality tempered spring steel. Sharp teeth are set ready for use. Varnished hardwood handle. This is a good quality item for volume sales. Skew back blade.

No.	Length of Blade	Tooth Points per Inch	Weight per Dozen	Packing	Price per Dozen
229	22 inches	8, 10	13 pounds	½ dozen	
249	24 inches	8	15 pounds	½ dozen	
269	26 inches	8	17 pounds	½ dozen	

NOTE: Packed ½ dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.



"YORKTOWNE" BRAND

Same as Nos. 229, 249, and 269 above except straight back design.

No.	Length of Blade	Tooth Points Cross Cut	Rip	Weight per Dozen	Packing	Price per Dozen
229-A	22 inches	8, 10		13 pounds	½ dozen	
249-A	24 inches	8		15 pounds	½ dozen	
269-A	26 inches	8	5½	17 pounds	½ dozen	

NOTE: Packed ½ dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.



No. 1060


"WOODCRAFT" (Ruler Edge)

High tempered spring steel blade with rule permanently etched on the back edge. Hardwood handle with maple varnish finish designed to provide a fixed square of both 45° and 90°. Sharp teeth are set ready for use. Nickel plated screws and medallion. Carved grip.

No.	Length of Blade	Tooth Points Cross Cut	Rip	Weight per Dozen	Packing	Price per Dozen
1060	26 inches	8	5½	17 pounds	½ dozen	

NOTE: Packed ½ dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.

No. 100 SAW NEST



No. 100 General utility saw set consisting of one 14-inch compass blade, 8-point; one 12-inch panel blade, 10-point and one 16-inch blade with pruning teeth on one edge and 12-point cross cut teeth on opposite edge. Wing nut and bolt construction for tightening blade in adjustable handle. Solid beech handle, varnished. Packed one dozen. Weight per dozen, 11 pounds.

Price Dozen sets


No. 110 SAW NEST



No. 110 is a popular combination of three blades and interchangeable handle. Solid varnished beech handle has wing nut and bolt construction for holding blades. Blades consist of one 16-inch general utility blade with 10-point tooth; one 14-inch compass blade, 8-point and one 12-inch compass blade, 12-point. Packed one dozen. Weight per dozen, 11 pounds.

Price Dozen Sets

No. 49 SAW NEST



No. 49 A popular saw nest for basement workshop and general home use. Four blades and adjustable, varnished beech handle. 16-inch general utility blade with teeth on both edges; 14-inch compass blade, 8-point; 14-inch panel blade, 10-point and 10-inch back or mitre saw, 12-point. Packed one dozen. Weight per dozen, 16 pounds.

Price Dozen sets

No. 50 SAW NEST



No. 50 This nest best fills a demand for workshops, garages and general utility work. Consists of 12-inch mitre or back saw blade with fine 12-point teeth and heavy steel back; 16-inch panel blade, 10-point and 12-inch compass blade, 8-point. Oak finish, carved beech handle with nickel plated wing nut and bolt construction. Packed ½ dozen. Weight per dozen, 18 pounds.

Price Dozen sets

No. 20 SAW NEST



No. 20 Designed especially for general household use. Consists of one 16-inch panel blade, 10-point; one 16-inch blade with pruning teeth on one edge and fine cross cut teeth on opposite edge and one 14-inch compass blade, 8-point. Closed handle with large hand grip, made of first quality beech, varnished. Adjustable wing nut and bolt construction. Packed one dozen. Weight per dozen, 14 pounds.

Price Dozen Sets

No. "L" SAW NEST




No. "L" For general household and workshop use. Five blades. Six cutting edges. A saw for every purpose. Closed handle with carved grip, mahogany finish. 14-inch mitre or back saw; 16-inch panel saw; 16-inch double cutting edge saw; 12-inch and 14-inch compass saw. Packed one set to folding box and re-packed in shipping containers of one dozen sets. Weight per dozen, 20 pounds.

Price Dozen sets

Order Through Your Jobber

No. "H" SAW NEST



No. "H" General utility saw nest. Open handle, natural varnish finish, nickel plated screws and wing nut, five blades, 16-inch double edge utility blade; 12-inch and 14-inch compass saws; 12-inch panel saw and 12-inch mitre back saw. Packed one dozen to corrugated shipping carton. Weight per dozen, 16 pounds.

Price

Dozen sets

No. "I" SAW NEST



No. "I" Big value. Five blades, six cutting edges. Closed grip handle with mahogany finish. Nickel plated screws and wing nut. 12-inch mitre or back saw blade; 16-inch utility blade with teeth on both edges; 12-inch and 14-inch compass blades and 14-inch panel blade. Packed one dozen. Weight per dozen, 18 pounds.

Price

Dozen sets

Compass Saws



"YORKTOWNE" BRAND No. 120 No. 140

A good general purpose compass saw with tempered spring steel blade, 8-point tooth. First quality beech handle with natural varnish finish. Made in two lengths.

No.	Length of Blade	Weight Per Dozen	Packing	Price Per Dozen
120	12 inch	4½ pounds	1 dozen	
140	14 inch	4¾ pounds	1 dozen	



"IMPERIAL" BRAND No. 135

Special hardened and tempered blade, 8-point. Carved hardwood handle, varnished oak finish. Nickel plated screw and medallion.

No.	Length of Blade	Weight Per Dozen	Packing	Price Per Dozen
135	10 inch	4¼ pounds	1 dozen	
	12 inch	4½ pounds	1 dozen	
	14 inch	5 pounds	1 dozen	



"YORKTOWNE" BRAND No. 130

Adjustable handle compass saw. Nickel plated bolt and wing nut make easy interchanging of blades. Tempered spring steel blade, 8-point. Solid beech handle with natural varnish finish.

No.	Length of Blade	Weight Per Dozen	Packing	Price Per Dozen
130	12 inch	4¾ pounds	1 dozen	
	14 inch	5 pounds	1 dozen	
BLADES ONLY:				
130-B	12 inch	1¾ pounds	1 dozen	
	14 inch	2 pounds	1 dozen	
HANDLE ONLY:				
H-2		4 pounds	1 dozen	



"IMPERIAL" BRAND No. 136

Adjustable blade and handle. Full tempered and hardened blade, 8-point. Nickel plated wing nut and bolt holds blade securely. Varnished hardwood handle with carved grip.

No.	Length of Blade	Weight Per Dozen	Packing	Price Per Dozen
136	12 inch	4½ pounds	1 dozen	
	14 inch	5 pounds	1 dozen	
BLADES ONLY:				
136-B	12 inch	1¾ pounds	1 dozen	
	14 inch	2 pounds	1 dozen	
HANDLE ONLY:				
H-136		4½ pounds	1 dozen	



Compass Saws



"IMPERIAL" BRAND No. 137

Known as NAIL CUTTER saw. 12-point tooth. Carved hardwood handle with bolt and wingnut construction to permit blade renewal.

No.	Length of Blade	Weight Per Dozen	Packing	Price Per Dozen
137	12 inch	4½ pounds	1 dozen	
	14 inch	5 pounds	1 dozen	
BLADES ONLY:				
137-B	12 inch	1¾ pounds	1 dozen	
	14 inch	2 pounds	1 dozen	
HANDLE ONLY:				
H-136		4½ pounds	1 dozen	



HEAVY DUTY PLUMBER'S COMPASS SAW No. 138

Extra heavy gauge blade made of special hardened steel, accurately filed and set, 8-point. Built for rough usage. Comfortable oversize handle makes sawing in tight places easy. Natural varnish finish. Wing nut and bolt construction permits quick interchange of blade.

No.	Length of Blade	Weight Per Dozen	Packing	Price Per Dozen
138	12 inch	7½ pounds	½ dozen	
	14 inch	8 pounds	½ dozen	
BLADES ONLY:				
138-B	12 inch	2¼ pounds	1 dozen	
	14 inch	2½ pounds	1 dozen	
HANDLE ONLY:				
H-138		4½ pounds	1 dozen	

(TAPER GROUND)



TRIPLE "PENN STATE" TEST No. 41

TAPER GROUND, thin back blade. Adjustable blade made of our famous "TRIPLE TEST" steel. Blade is slotted and drilled to permit use with either adjustable or non-adjustable handle if desired. 8-point teeth are accurately filed and set. Light oak varnish finish handle with nickel plated screw, bolt and wing-nut.

No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
41	12 inches	6¾ pounds	½ dozen	
	14 inches	7½ pounds	½ dozen	
BLADES ONLY:				
41-B	12 inches	1¾ pounds	1 dozen	
	14 inches	2¼ pounds	1 dozen	
HANDLE ONLY:				
H-138		4½ pounds	1 dozen	




TRIPLE "PENN STATE" TEST No. 40

TAPER GROUND, thin back blade made of special "TRIPLE TEST" hardened and tempered steel. 8-point. Teeth accurately filed and set. Bright polished nickel plated screw and medallion. Large comfortable handle with light varnish finish.

No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
40	12 inches	6¾ pounds	½ dozen	
	14 inches	7½ pounds	½ dozen	

DOCKING OR MINING SAWS



No. 86

Specially constructed for heavy, rough work in mills, shops, subways, etc. Skew back. Unbreakable malleable iron handle. Teeth filed with extra heavy set.

No.	Length of Blade	Tooth Point	Width at Point	Width at Butt	Weight per Dozen	Packing	Price per Dozen
86	24 inches	4½	2¼ inches	6¼ inches	30 pounds	⅓ dozen	
	30 inches	4½	2¼ inches	6¼ inches	38 pounds	¼ dozen	
	36 inches	4½	2¼ inches	6¼ inches	46 pounds	⅓ dozen	



No. 87
[Extra Heavy Duty]

Made extra heavy and rugged for sawing rough timbers in mines, shipyards, railroads and wherever coarse, heavy work is required. Full weight. Excellent temper. Big 1½-point teeth, filed and with extra heavy set. Malleable iron handle.

No.	Length of Blade	Tooth Point	Width at Point	Width at Butt	Weight Each	Packing	Price Each
87	36 inches	1½	2⅝ inches	5¾ inches	4½ pounds	Individual	

Packed in individual, heavy corrugated envelope and wire stitched. No further packing required for reshipment.

Order Through Your Jobber

PENNSYLVANIA SAW CORPORATION

Mitre, Back and Dovetail Saws


No. 18 DOVETAIL SAW



A sturdy saw at a low price. Extra thin blade with small teeth. Especially useful for small cabinet work. Steel back for stiffening blade. Round wooden handle with mahogany finish, steel ferrule. Made in two lengths.

No.	Length of Blade	Width Under Back	Width Over All	Weight Per Dozen	Price Per Dozen	Packing
18	8 inches	1½ inches	2 inches	4½ pounds		1 dozen
	10 inches	1½ inches	2 inches	5 pounds		1 dozen

No. 185 DOVETAIL SAW



An indispensable for fine cabinet work, tenoning, dovetailing, etc. Cuts like a knife with no burred edges. Rigid steel back with ribbon thin "TRIPLE TEST" steel blade. Fine teeth 17-points to the inch. Used for dovetailing, tenoning, cabinet work, picture frames and all fine work. Cherry finished handle with heavy brass plated ferrule riveted through handle to steel back to insure against turning or twisting.

No.	Length of Blade	Width Under Back	Width Over All	Weight Per Dozen	Price Per Dozen	Packing
185	6 inches	1⅞ inches	2 inches	5½ pounds		¼ dozen
	8 inches	1⅞ inches	2 inches	6 pounds		¼ dozen
	10 inches	1⅞ inches	2 inches	6½ pounds		¼ dozen
	12 inches	1⅞ inches	2 inches	7 pounds		¼ dozen


No. 91 MITRE BOX SAW



First quality mechanics tool. "TRIPLE TEST" steel. Precision built. Teeth bevel filed. Extra heavy back, insuring positive rigidity to blade. Full size, carved handle.

No.	Length of Blade	Width Under Back	Tooth Point	Weight Per Dozen	Packing	Price Per Dozen
91	24 inches	4 inches	12	45 pounds	¼ dozen	
	26 inches	4 inches	12	50 pounds	¼ dozen	
	28 inches	5 inches	12	60 pounds	¼ dozen	


No. 78 BACK OR MITRE SAW ("Yorktowne" Brand)



For general use in connection with mitre box and cabinet work. Stiff blade with heavy steel back. Solid beech handle with light maple varnish finish. Nickel plated screws and medallion.

No.	Length of Blade	Width Under Back	Tooth Point	Weight Per Dozen	Packing	Price Per Dozen
78	10 inches	3¼ inches	12	10 pounds	½ dozen	
	12 inches	3¼ inches	12	12 pounds	½ dozen	
	14 inches	3¼ inches	12	14 pounds	½ dozen	
	16 inches	3¼ inches	12	16 pounds	½ dozen	

No. 79 BACK OR MITRE SAW ("Imperial" Brand)



Special steel blade well tempered and supported by steel back. First quality, carved, hardwood handle with light oak varnish finish. Screws and medallion are nickel plated. This saw is especially adaptable for grooving, mortising and general cabinet work.

No.	Length of Blade	Width Under Back	Tooth Point	Weight Per Dozen	Packing	Price Per Dozen
79	10 inches	3¼ inches	12	11 pounds	½ dozen	
	12 inches	3¼ inches	12	13 pounds	½ dozen	
	14 inches	3¼ inches	12	15 pounds	½ dozen	
	16 inches	3¼ inches	12	17 pounds	½ dozen	


No. 80 MITRE BOX SAW



A high grade tool made of special temper "TRIPLE TEST" high speed steel. Good clean cutter. Teeth accurately filed and set. Heavy steel back. Brass plated screws and medallion. Carved handle made of finest quality beech with rubbed cherry finish.

No.	Length of Blade	Width Under Back	Width Over All	Tooth Point	Weight Per Dozen	Packing	Price Per Dozen
80	18 inches	4 inches	4⅞ inches	12	24 pounds	¼ dozen	
	20 inches	4 inches	4⅞ inches	12	28 pounds	¼ dozen	
	22 inches	4 inches	4⅞ inches	12	40 pounds	¼ dozen	


Specialties



No. 189 WALL SCRAPER

Highest quality tempered spring steel blade. For use by painters and paper hangers. Accurately ground, double bevel edge. Full size hardwood handle, stained lacquer finish.

No.	Length of Blade	Width of Scraping Edge	Weight per Dozen	Packing	Price per Dozen
189	5 inches	3½ inches	5 pounds	1 dozen	



No. 180 CABINET SCRAPER

Plain edges, not dressed. Hardened and tempered steel of high quality. Can be used by hand or in scraper planes. Used extensively in home work shops and manual training work.

Size	Weight per Dozen	Packing	Price per Dozen
2 x 4 inches	1 pound	1 dozen	
2 x 5 inches	1½ pounds	1 dozen	
2½ x 4 inches	1¼ pounds	1 dozen	
2½ x 5 inches	2 pounds	1 dozen	
3 x 4 inches	2 pounds	1 dozen	
3 x 5 inches	2¼ pounds	1 dozen	
3 x 6 inches	2½ pounds	1 dozen	
4 x 5 inches	2½ pounds	1 dozen	



No. 181 CABINET SCRAPER

Made of extra fine tempered "PENN STATE" "TRIPLE TEST" steel to insure holding of a keen edge. Precision ground and dressed edges to satisfy the most exacting mechanic.

Size	Weight per Dozen	Packing	Price per Dozen
2 x 4 inches	1 pound	1 dozen	
2 x 5 inches	1½ pounds	1 dozen	
2½ x 4 inches	1¼ pounds	1 dozen	
2½ x 5 inches	2 pounds	1 dozen	
3 x 4 inches	2 pounds	1 dozen	
3 x 5 inches	2¼ pounds	1 dozen	
3 x 6 inches	2½ pounds	1 dozen	
4 x 5 inches	2½ pounds	1 dozen	

METAL CUTTER SAWS

FOR ELECTRICIANS—PLUMBERS
CARPENTERS—MECHANICS
GLASS HARD TEETH

CUTS NAILS—METAL LATH—BX CABLE
PIPE—PLASTER BOARD—WALL PLUGS

SEPARATE BLADES

Note: Designed to fit other makes of metal cutter saw handles.

Packed one dozen in metal edge, telescope box.

18 Point Teeth No. 77-B5 (Short)
10 Inch Length

12 Point Teeth No. 77-BM (Medium)
11 Inch Length

10 Point Teeth No. 77-BL (Long)
12 Inch Length



SAME PRICE FOR ALL LENGTHS

No.	Packing	Weight per Dozen	Price Dozen
77-B5	1 Dozen	1½ Pounds	
77-BM	1 Dozen	2 Pounds	
77-BL	1 Dozen	2½ Pounds	

HANDLE AND BLADE

No. 77-HB

Blade revolves through 360°

Exclusive Tight Lock Blade
Smooth, Enameled Metal Handle




No.	Length of Blade	Packing	Weight per Dozen	Price Dozen
77-HB	Medium only	½ Dozen	9 Pounds	

CARD SET

HANDLE AND THREE BLADES
4-COLOR HEAVY CARD

No. 77-SC



No.	Packing	Weight per Dozen	Price Dozen
77-SC	½ Dozen Sets	12 Pounds	



No. 61

(Chrome)



No. 60

(Chrome)



No. 62

(Nickel)

Wide screw slots. Deeply cut threads. Medallion bears name of Pennsylvania Saw Corporation.

No.	Item	Diameter of head	Finish	Packing	Weight Per gross	Price Per gross
60	Medallion	1½ inch	Chromium	1 gross	5 pounds	
61	Screw	¾ inch	Chromium	1 gross	3½ pounds	
62	Screw	1 inch	Nickel	1 gross	3¼ pounds	



CABLE AND PLUMBER'S SAW

No. 93

A valuable time saver for the plumber, electrician or repair man. Tempered steel blade, 15 point teeth on one edge with no set for light metal, conduit, BX cable, etc. Opposite edge is toothed 8 point, filed for fast wood cutting. First quality beech handle with clear lacquer finish.

No.	Length of Blade	Width at Point	Width at Butt	Weight per Dozen	Packing	Price per Dozen
93	12 inches	2 inches	2½"	12 pounds	½ dozen	

PENNSYLVANIA SAW CORPORATION

Handles Only

FOR USE ON VARIOUS PATTERNS OF HAND SAWS, COMPASS AND NESTS OF SAWS

Note: All handles are slit for receiving the blade but are not bored for screw holes. This makes it possible to fit handles to any make saw blades.



No. H-269

A general purpose handle made of first quality beech with light oak varnish finish. Well balanced. Slit for blade but not bored for screws. For use with 24-inch and 26-inch blades. Also used on our Yorktowne Brand No. 269.

No.	Weight Per Dozen	Packing	Price Per Dozen
H-269	7 pounds	1 dozen	



No. H-2

A good quality beech handle, medium size. Varnish finish. Nickel plated bolt and wing nut. Slit to receive blade. For adjustable compass saws and nests. Also used on our Yorktowne Brand Nos. 130, 100, and 110.

No.	Weight Per Dozen	Packing	Price Per Dozen
H-2	4 pounds	1 dozen	



No. H-40

Finely finished hardwood handle for mechanic's use. Large size comfortable grip. Slit for blade but not bored. Also used on our No. 40 compass saw.

No.	Weight Per Dozen	Packing	Price Per Dozen
H-40	4½ pounds	1 dozen	



No. A-2-H

A well designed hardwood handle with mahogany varnish finish. Fully carved. Easy grip. Slit for blade but not bored for screws. For use with 24-inch and 26-inch blades. Also used on our Superior Brand No. 2600.

No.	Weight Per Dozen	Packing	Price Per Dozen
H-2600	7½ pounds	1 dozen	



No. H-2600



No. A-3-H

Perfectly balanced. Light cherry rubbed finish. Fully carved. Slit but not bored for screws. Used also on our "PENN STATE" brand No. 2-A.

No.	Weight Per Dozen	Packing	Price Per Dozen
A-2-H	7 pounds	1 dozen	

Standard among mechanics. Mahogany rubbed finish. Fully carved. Slit but not bored for screws. Used also on our "PENN STATE" brand No. A-3.

No.	Weight Per Dozen	Packing	Price Per Dozen
A-3-H	7 pounds	1 dozen	



No. A-4-H

A well designed, comfortable handle, fully carved. Walnut finish. Slit but not bored for screws. Used on our "PENN STATE" brand No. A-4.

No.	Weight Per Dozen	Packing	Price Per Dozen
A-4-H	7 pounds	1 dozen	



No. A-1-H

A masterpiece in design. First select hardwood with hand rubbed cherry finish. Large easy grip. Fully carved. Slit but not bored for screws. Used also on our "PENN STATE" brand No. A-1.

No.	Weight Per Dozen	Packing	Per Dozen Price
A-1-H	7½ pounds	1 dozen	



No. A-5-H

A comfortable handle made of first quality hardwood with oak finish. Carved on grip. Slit but not bored for screws. Used also on our "PENN STATE" brand No. A-5.

No.	Weight Per Dozen	Packing	Price Per Dozen
A-5-H	7 pounds	1 dozen	


Butcher and Kitchen Saws



**KITCHEN SAW
No. 95**

A light weight saw for kitchen and home use. Made in four lengths. Spring steel frame. Tempered steel blade permanently riveted to frame. First quality hardwood handles with light varnish finish.


No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
95	14 inches	10 pounds	1/2 dozen	
	16 inches	11 pounds	1/2 dozen	
	18 inches	12 pounds	1/2 dozen	
	20 inches	13 pounds	1/2 dozen	
	22 inches	14 pounds	1/2 dozen	



**BUTCHER SAW
No. 98**

Sturdy construction with spring temper steel frame 3/4 inch wide, 1/4 inch thick, square edge. Distance from tooth edge of blade to inside of back at center is 4 1/2 inches. Special quick action tightening lever for drawing blade up into taut position. Special spring steel blade 3/4 inch wide. Steel pins permanently fastened in both ends of blade make quick change of blades possible without use of any tools. Natural varnish finish hardwood handle with nickel plated screws. Frames supplied complete with one blade.


No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
98	18 inches	20 pounds	1/2 dozen	
	20 inches	22 pounds	1/2 dozen	
	22 inches	24 pounds	1/2 dozen	
	24 inches	26 pounds	1/2 dozen	
INDIVIDUAL BLADES ONLY:				
100	18 inches	2 pounds	1 dozen	
	20 inches	2 pounds	1 dozen	
	22 inches	2 1/4 pounds	1 dozen	
	24 inches	2 1/4 pounds	1 dozen	



**BUTCHER SAW
No. 99**

An outstanding butcher saw incorporating all the best features. Frame is made of high grade tempered spring steel, 3/4 inches wide, 1/4 inch thick with rounded edges. End of frame well pointed. Distance from tooth edge of blade to inside of back at center is 4 1/2 inches. Frames are notched, making possible a quick interchange of blades. Heavy bolt and wing nut construction permits any desired tension of blade. Streamline hardwood handle with light varnish finish; nickel plated screws. Frames supplied complete with one blade.

No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
99	18 inches	21 pounds	1/2 dozen	
	20 inches	23 pounds	1/2 dozen	
	22 inches	25 pounds	1/2 dozen	
	24 inches	27 pounds	1/2 dozen	
	26 inches	29 pounds	1/2 dozen	
INDIVIDUAL BLADES ONLY:				
100	18 inches	2 pounds	1 dozen	
	20 inches	2 pounds	1 dozen	
	22 inches	2 1/4 pounds	1 dozen	
	24 inches	2 1/4 pounds	1 dozen	
	26 inches	2 1/2 pounds	1 dozen	



**BUTCHER
BLOCK SCRAPER
(Made in two Sizes)**

A long life scraper that will hold an edge. Made of highest quality tempered spring steel. Do not confuse with cheaper, unhardened steel scrapers. Solid hardwood handle with smooth finish.

No.	Length of Blade	Width of Blade under Handle	Weight per Dozen	Packing	Price per Dozen
182	6 inches	3 inches	6 1/2 pounds	1/2 dozen	
183	7 inches	4 inches	8 pounds	1/2 dozen	



**INDIVIDUAL BUTCHER SAW BLADES
No. 102**

(With end holes punched)

Made in 1/2 inch 5/8 inch and 3/4 inch widths

Finest quality tempered and polished steel. Length of blade measured from hole to hole.

(When ordering state width of blade wanted)

No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
102	18 inches	1 1/4 pounds	1 dozen	
	20 inches	1 1/4 pounds	1 dozen	
	22 inches	1 1/2 pounds	1 dozen	
	24 inches	1 1/2 pounds	1 dozen	
	26 inches	1 3/4 pounds	1 dozen	



**INDIVIDUAL BUTCHER SAW BLADES
No. 100**

(With End Pins)

Made in 1/2 inch 5/8 inch and 3/4 inch widths

(For use in connection with either No. 98 or No. 99 Butcher saw frames)

Fine quality special tempered spring steel. 11-point tooth. Made with steel pins permanently secured into both ends of the blade. Blades are easily and quickly inserted without the use of tools into butcher saw frames No. 98 and No. 99 shown on this page. Blade length is measured from pin to pin. (When ordering state width of blade wanted)

No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
100	18 inches	1 1/4 pounds	1 dozen	
	20 inches	1 1/4 pounds	1 dozen	
	22 inches	1 1/2 pounds	1 dozen	
	24 inches	1 1/2 pounds	1 dozen	
	26 inches	1 3/4 pounds	1 dozen	

**BUTCHER SAW BLADES
(in coils)
No. 101**

Made in 1/2 inch 5/8 inch and 3/4 inch widths

Packed in coil lengths of 25 feet. High quality hardened spring steel. 11-point tooth. Packed in single boxes. Weight per coil 1 1/4 pounds.

Price per coil of 25 feet

1/2"	5/8"	3/4"

(When ordering state width of blade wanted)



Order Through Your Jobber

PENNSYLVANIA SAW CORPORATION



STRAIGHT DOUBLE CUTTING EDGE PRUNER

Good quality, specially hardened and tempered blade. One edge has sharp cross cut teeth 8 points to the inch for finish stroke and barking; other edge has coarse "Champion" teeth for easy sawing in green wood. Hardwood handle with natural varnish finish. No. 116 has thin pliable blade for light work. No. 118 has heavy stiff blade.

Saw Number	Length of Blade	Weight per Dozen	Price per Dozen	Packing
116	16 inches	9 lbs.		1/2 doz.
118	18 inches	10 lbs.		1/2 doz.



CURVED PRUNING SAW

Highly tempered for general usage. Toothed on both edges. The concave edge has fine needle point teeth, filed and set for fast cutting on pull stroke and other edge 8 point cross cut teeth to cut on either pull or draw stroke. Blade tapers from handle to point. Natural varnish finish hardwood handle with plenty of grip room in hand hole. Nickel plated screws.

Saw Number	Length of Blade	Weight per Dozen	Price per Dozen	Packing
129	18 inches	12 lbs.		1/2 doz.
	20 inches	13 lbs.		1/2 doz.



FORESTRY PRUNER

Long narrow blade with coarse teeth, five to the inch. Perfectly filed and extra set to prevent binding. Correctly hardened and tempered steel. Form fit grip handle made of first quality hardwood with varnish finish. Nickel plated screws. Can also be used for cutting wall board, plaster board, etc.

Saw Number	Length of Blade	Points per Inch	Width at Butt Inches	Width at Point Inches	Weight per Dozen	Price per Dozen	Packing
126	26 inches	5	3 1/2	1 1/2	16 lbs.		1/2 doz.



CURVED PRUNER

Uniform temper steel blade to insure extra heavy usage. Long needle point teeth, 8 teeth to the inch, perfectly filed and set to cut on the pull stroke. Extra wide set of teeth. Quality hardwood handle with nickel plated screws.

Saw Number	Length of Blade	Length of Handle	Points per Inch	Weight per Dozen	Price per Dozen	Packing
124	12 inches	8	6 1/2	7 lbs.		1/2 doz.
	14 inches	8	6 1/2	8 lbs.		1/2 doz.



FOLDING CURVED PRUNER

This saw is similar to No. 124 shown above except it has folding handle for tooth protection and easy handling when not in use. High quality, varnished handle with nickel plated wing nut and bolt. Needle point teeth filed and set to cut on the pull stroke.

Saw Number	Length of Blade	Length of Handle	Points per Inch	Weight per Dozen	Price per Dozen	Packing
125	12 inches	8 in.	6 1/2	7 lbs.		1/2 doz.
	14 inches	8 in.	6 1/2	8 lbs.		1/2 doz.



LONG HANDLE PRUNING SAW

Long hardwood handle, perfectly balanced. Extra fine temper blade with long reversed needle teeth accurately filed and set. Cuts on the pull stroke. Nickel plated screws.

Saw Number	Length of Blade	Length of Handle	Overall Length	Points per Inch	Weight per Dozen	Price per Dozen	Packing
132	14 inches	11 in.	25 in.	6 1/2	12 lbs.		1/2 doz.



FOLDING PRUNING SAW

Because of the complete blade protection when folded this saw is one of the most popular numbers. Constructed of fine quality tempered steel with long, slender reverse teeth, filed and set, for pull cut sawing. Varnished hardwood handle.

Saw Number	Length of Blade	Length of Handle	Overall Length Closed	Points per Inch	Weight per Dozen	Price per Dozen	Packing
133	10 inches	12 in.	13 in.	6	10 lbs.		1/2 doz.



CALIFORNIA CURVED PRUNING SAW

This is one of the most popular saws of its type. It has a narrow blade made of finely tempered steel with reverse teeth to permit sawing on the pull stroke. Teeth are accurately filed and set. Solid grip handle made of first quality hardwood.

Saw Number	Length of Blade	Points per Inch	Weight per Dozen	Price per Dozen	Packing
131	12 inches	6 1/2	6 lbs.		1/2 doz.
	14 inches	6 1/2	6 1/2 lbs.		1/2 doz.



"CHAMPION" OR "TUTTLE" TOOTH PRUNER

Long, rigid construction for heavy duty work. Blade made of our famous PENN STATE, "Triple Test" steel. Extra fine sharp teeth, perfectly filed and set. Skewback. Solid hardwood handle with large grip. Nickel plated screws and medallion.

Saw Number	Length of Blade	Width at Point Inches	Width at Butt Inches	Weight per Dozen	Price per Dozen	Packing
162	20 inches	1	5	16 lbs.		1/3 doz.
	24 inches	1 1/4	6	18 lbs.		1/3 doz.



"PLAIN" TOOTH PRUNING SAW

This saw is the same as the "CHAMPION" tooth saws No. 162 shown above except with fine teeth accurately bevel filed for cutting on both draw and pull stroke.

Saw Number	Length of Blade	Width at Point Inches	Width at Butt Inches	Points per Inch	Weight per Dozen	Price per Dozen	Packing
176	20 inches	1	5	5	16 lbs.		1/3 doz.
	26 inches	1 1/4	6	5	21 lbs.		1/3 doz.

P
R
U
N
I
N
G

S
A
W
S

Order Through Your Jobber

PENNSYLVANIA SAW CORPORATION



TUBULAR STEEL FRAME PRUNING SAW No. 19



Ruggedly constructed. Fast cutting. Blade has four cutter one raker design teeth. Tension adjustable. Accurately filed. CUSHION GRIP RUBBER HANDLE. Cuts on both push and pull stroke.

No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
19	21 inches	14 pounds	1/2 dozen	



PULL STROKE PROFESSIONAL PRUNER No. 154

Newest advance in pruning saw design. Curved cutting edge with scientifically designed teeth. Filed and set. Extra heavy gauge steel. Oversize pistol grip handle permits use with heavy gloves.

No.	Length of Blade	Width at Point Inches	Width at Butt Inches	Weight Per Dozen	Packing	Price Per Dozen
154	17 1/2 inches	1 3/8	2 5/8	12 lbs.	1/3 doz.	



POLE PRUNING SAW, SHEAR AND HOOK

This is same as our No. 167 shown on this page except it has blade with straight cutting edge. Teeth are 7 to the inch and permit cutting on both forward and draw stroke.

Number	Length of Blade	Points per Inch	Weight per Dozen	Price per Dozen	Packing
168	11 inches	7	21 lbs.		1/6 doz.

11-inch BLADES ONLY, per dozen

PRUNING SAWS

WALNUT PRUNING SAW MOUNTING

This saw mounting is made of hard cold rolled steel for holding Walnut Pruning saw blades Nos. 147, 148 and 149. Ratchet teeth at butt end of blades fit perfectly into sprocket teeth of mounting. Blade held firmly in position by bolt and wing nut. Finished in red enamel.

Saw Number	Overall Length	Width at Point Inches	Weight per Dozen	Price per Dozen	Packing
150	7 inches	3 1/2	7 lbs.		1/2 doz.



CALIFORNIA WALNUT PRUNING SAW

Finely tempered. Teeth well filed and set with sufficient clearance for easy sawing. Sharp and slender needle teeth to cut on the draw stroke. Curved tooth edge. Ratchet teeth on butt end of blade engage accurately with sprocket on our Walnut Pruning Saw Mounting No. 150 shown on this page.

Saw Number	Length of Blade	Width at Point Inches	Width at Butt Inches	Points per Inch	Weight per Dozen	Price per Dozen	Packing
147	20 inches	1 1/8	3	6	8 lbs.		1/2 doz.
148	26 inches	1 1/8	3 1/8	5	10 lbs.		1/2 doz.
149	26 inches	1 1/8	3 1/8		10 lbs.		1/2 doz.

NOTE: No. 149 same as No. 148 except it has large Champion or Tuttle Teeth.



POLE TREE PRUNER

Curved blade made of the finest tempered steel. Long slender teeth perfectly filed and exceptionally sharp and pointed for easy cutting. Blade has 10-inch cutting edge mounted on malleable iron hook socket with bolt and wing nut which permits blade to be adjusted to any desired angle. Malleable iron socket is hollow to permit mounting on pole. Can also be used without pole. Poles not supplied. Casting enameled red.


Saw Number	Length of Blade	Overall Length	Points per Inch	Weight per Dozen	Price per Dozen	Packing
165	10 inches	16 in.	6 1/2	12 lbs.		1/6 doz.
	15 inches	21 in.	6 1/2	14 lbs.		1/6 doz.

10-inch BLADES ONLY, per dozen
15-inch BLADES ONLY, per dozen

POLE PRUNING SHEAR AND HOOK

Frame made of malleable iron enameled red. Cutting knife is finest steel with sharp cutting edge, strong tempered spring returns knife to cutting position. Hook will take branches up to 3/4 inch diameter. Socket is hollow to permit mounting to pole. No pole supplied. Can be used with or without pole. Inside diameter of socket is 1 1/8 inches, inside length is 2 1/2 inches. Overall length is 7 inches.

Number	Weight per Dozen	Price per Dozen	Packing
166	18 lbs.		1/6 doz.



POLE PRUNING SAW, SHEAR AND HOOK

This is a popular combination tool consisting of curved pruning saw blade; shear for cutting branches up to 3/4 inches in diameter and hook for pulling off dead wood. The curved blade is 9 1/2 inches long on the cutting edge with fine needle point teeth accurately filed and set. Blade is assembled to frame with machine screws. No pole supplied. The malleable iron socket is hollow to permit mounting to pole. Inside diameter of socket is 1 1/8 inches; inside length is 2 1/2 inches. Overall length 7 inches.

Number	Length of Blade	Points per Inch	Weight per Dozen	Price per Dozen	Packing
167	9 1/2 in.	6 1/2	20 lbs.		1/6 doz.

9 1/2-inch BLADES ONLY, per dozen



CIRCULAR SAWS




Each blade mounted on cardboard backing and vacuum sealed against moisture in special transparent "Penncote" (reg.) plastic film.



No hands can touch the blade. Complete freedom from rust.

Both blade and backing remain permanently fresh and clean. Backing is punched for wall-board display.



No. 250
Cross Cut

No. 270
Rip

No. 260
Standard
Combination

No. 280
Chisel
Combination

ALL BLADES MADE IN 6"-6 $\frac{1}{2}$ "-7"-8" and 10" DIAMETERS

ALL CENTER HOLES ARE FITTED WITH MULTIPLE BUSHINGS TO PERMIT USE ON VARIOUS TYPES OF MACHINES

The Round Center Bushing is $\frac{1}{2}$ "- $\frac{5}{8}$ " on all Diameter Blades from 6" to 8" and $\frac{5}{8}$ "- $\frac{3}{4}$ " on 10" Blades. Knock Out Black Diamond Bushing to Fit SKIL Machine

No. 250
CROSS CUT TOOTH

For cutting across the grain. Alternately bevel sharpened teeth for fast cutting. Used for sawing all types of wood and composition materials.

No. 260
STANDARD COMBINATION TOOTH

Sometimes called two-in-one blade as teeth are designed for both cross cutting (across grain) and ripping (with the grain). Blade has four bevel sharpened cutter teeth to one raker tooth. Ideal for general use.

No. 270
RIP TOOTH

Special designed hook type teeth for rip sawing (with the grain of the board). Runs free of sawdust accumulation. Teeth bevel sharpened.

No. 280
CHISEL COMBINATION TOOTH

Latest new design tooth for both cross cutting (across the grain) and ripping (with the grain). This is the fastest and smoothest blade of all combination tooth designs. Bevel sharpened teeth. Adaptable for sawing all types of wood.

PACKED FOR SHIPMENT: $\frac{1}{2}$ DOZEN OF ONE SIZE DIAMETER TO SHIPPING CARTON.


HIGH QUALITY—"TRIPLE TEST" STEEL
PRECISION SHARPENED TEETH FOR FAST CUTTING

WOOD SAWS AND PARTS

NO. 2-B WOOD SAW BLADE

Champion tooth, straight breast, hardened and tempered, bright polish; teeth set ready for use. To fit No. 2 Wood Saw.

No.	Length of Blade	Width of Blade	Weight Per Dozen	Packing	Price Per Dozen
2-B	30 inches	1 5/8 inches	6 pounds	1 dozen	



No. 2 Wood Saw

Especially suitable for general household and farm use. Rigidly constructed. Hardwood frame enameled red with black enamel cross bars. "Champion" type tooth. Large finger grip turnbuckle. Steel parts cadmium plated to prevent rust. Packed K.D. 1/2 dozen to corrugated carton.

No.	Length of Blade	Width of Blade	Weight Per Dozen	Packing	Price Per Dozen
2	30 inches	1 5/8 inches	50 pounds	1/2 dozen	
2-B, BLADE ONLY			6 pounds	1/2 dozen	

No. 12 WOOD SAW ROD

Extra heavy, rust proof cadmium plated; large finger grip turn buckle; heavily threaded screws. Can be used with either 30-inch or 32-inch blades.




No.	Length	Weight Per Dozen	Packing	Price Per Dozen
12	22-24 inches	8 pounds	1 dozen	

Fits No. 2 Wood Saw

STEEL TUBULAR FRAME ALL PURPOSE SAW

Used by Professional Tree Trimmers—
Campers—Scouts—General Utility

21-INCH BLADE



No. 19

Blade hardened and tempered spring steel—razor sharp teeth.

CUSHION GRIP—RUBBER HANDLE

Wing nut and bolt construction permits drawing up blade to any tension desired. Bright enamel finish.

No.	Weight Per Dozen	Packing	Price Per Dozen
19	14 pounds	1/2 dozen	
Blade Only			
19-B	1/2 pound	1 dozen	

6-B PULP WOOD SAW BLADE

Four-cutter-one-raker type blade, heat treated, "TRIPLE TEST" steel, for fast cutting; straw color.

Length of Blade	Width of Blade	Weight Per Dozen	Packing	Price Dozen
30 inches	1 inch	2 1/4 pounds	1/2 dozen	
36 inches	1 inch	2 3/4 pounds	1/2 dozen	
42 inches	1 inch	3 1/4 pounds	1/2 dozen	
48 inches	1 inch	3 3/4 pounds	1/2 dozen	

SWEDISH TYPE BUCK AND PULPWOOD SAW

New Type Blade—Cuts on Both Push and Pull Stroke


Thin heat treated blade of highest quality

Specially designed Teeth Accurately Filed and Set

Frames Made of Finest Light Weight Tempered Steel Tubing of High Tensile Strength—SHIPPED COMPLETELY ASSEMBLED READY FOR USE.

Packed in individual corrugated envelopes, wire stitched. Bright Enamel Finish.

Blade Held at Any Tension
by Means of Wing Nut and Bolt
BLADES EASILY REPLACED



LONG HANDLE GRIP
Nickelplated
End Plug

No. 6

No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
6	30 inches	28 pounds	Individual	
	36 inches	32 pounds	Individual	


MADE IN
2 SIZES



PENNSYLVANIA SAW CORPORATION

One-Man Cross-Cut Saws

No. 500 "COLUMBIA", (Plain Tooth)




No. 500 An excellent saw for general use. Full width blade with large cutting teeth, filed and set. Made of high grade tempered spring steel. Varnished hardwood handle. Nickel plated screws and medallion. Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.

Length Feet	Width at Butt Inches	Width at Point Inches	Gauge Tooth Edge	Weight, Each Pounds	Price Each
2½	5¾	2¼	16	3	
3	5¾	2¼	16	3½	
3½	5¾	2¼	15	4¼	
4	5¾	2¼	15	4¾	
4½	5¾	2½	14	5½	
5	5¾	2½	14	6	

Prices include both regular and supplementary handles

(Note: If 2½ foot length saws only are ordered, list price will be each)

No. 400 "COLUMBIA", (Champion Tooth)




No. 400 A fast cutting, two cutter-one raker tooth saw, filed and set. Undoubtedly one of the most popular saws of its kind. Well balanced. Tempered spring steel. Varnished handle. Large hand grip. Nickel plated screws and medallion. Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.

Length Feet	Width at Butt Inches	Width at Point Inches	Gauge Tooth Edge	Weight, Each Pounds	Price Each
2½	5¾	2¼	16	3	
3	5¾	2¼	16	3½	
3½	5¾	2¼	15	4¼	
4	5¾	2¼	15	4¾	
4½	5¾	2½	14	5½	
5	5¾	2½	14	6	

Prices include both regular and supplementary handles

(Note: If 2½ foot length saws only are ordered, list price will be each)

No. 300 "COLUMBIA", (Perforated Lance)



No. 300 One of the most popular saws for sawing fibrous woods. Extra size teeth with one raker tooth for every four cutter teeth. Special tempered steel. Teeth filed and set. Large hardwood handle, varnished. Nickel plated screws and medallion. Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.


Length Feet	Width at Butt Inches	Width at Point Inches	Gauge Tooth Edge	Weight, Each Pounds	Price Each
2½	5¾	2¼	16	3	
3	5¾	2¼	16	3½	
3½	5¾	2¼	15	4¼	
4	5¾	2¼	15	4¾	
4½	5¾	2½	14	5½	
5	5¾	2½	14	6	

Prices include both regular and supplementary handles

(Note: If 2½ foot length saws only are ordered, list price will be each)

Cross-Cut Saw Handles

No. 7 One-Man Cross Cut saw handle made of finest beech, thoroughly seasoned and kiln dried. Large hand hole and easy grip. Full lacquer finish. Handle is slit for blade but screw holes are not drilled, which permits the handle to be fitted to any make of saw.



No.	Weight per Dozen, Lbs.	Price Per Dozen	Packed
7	7½		1 dozen

No. 8 Supplementary Handle for One-Man Cross Cut saw. Select hardwood, smoothly sanded. Extra size. Heavy steel ferrule and malleable iron bolt.




No.	Weight per Dozen, Lbs.	Price Per Dozen	Packed
8	4		1 dozen

Order Through Your Jobber

TAPER GROUND Cross-Cut Saws

No. 375 "PENN STATE", Crown, (Perforated Lance Tooth)



No. 375 TAPER GROUND. Highly efficient saw especially suitable for cutting damp or long fibrous woods. Highest quality tempered "TRIPLE TEST" steel. Extra long narrow teeth with one raker tooth for every four cutting teeth. Two gauges thinner on back than on tooth edge. Large and convenient handle grip. Polished nickel screws and medallion. **Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.**

Length Feet	Width at Butt Inches	Width at Point Inches	Gauge Tooth Edge	Gauge, Back at Center	Weight, Each Pounds	Price Each
3	5 ³ / ₄	2 ¹ / ₄	16	18	3 ¹ / ₄	
3 ¹ / ₂	5 ³ / ₄	2 ¹ / ₄	15	17	4	
4	5 ³ / ₄	2 ¹ / ₄	15	17	4 ¹ / ₂	
4 ¹ / ₂	5 ³ / ₄	2 ¹ / ₂	14	16	5 ¹ / ₄	

Prices include both regular and supplementary handles

No. 950 "PENN STATE", Olympic, (Plain Tooth)



No. 950 A saw of genuine merit. TAPER GROUND. Four gauges thinner on back than on tooth edge. Carefully tempered. Made of our famous "TRIPLE TEST" steel. Extra large, sharp teeth, perfectly filed and set. **Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.**

Length Feet	Width at Ends Inches	Width at Center Inches	Gauge Tooth Edge	Gauge, Back at Center	Gauge, Back at Ends	Weight, Each Pounds	Price Each
4 ¹ / ₂	3 ¹ / ₂	5 ³ / ₄	15	19	17	4	
5	3 ¹ / ₂	5 ³ / ₄	15	19	17	5	
5 ¹ / ₂	3 ¹ / ₂	5 ³ / ₄	14	18	16	6	
6	3 ¹ / ₂	5 ³ / ₄	14	18	16	7	

Prices do not include handles

No. 960 "PENN STATE", Olympic, (Champion Tooth)



No. 960 A most popular pattern, TAPER GROUND. Four gauges thinner on back than on tooth edge. Outstanding for keen cutting edge and resistance to wear. Teeth are two cutter-one raker type, well filed and set. Made of our famous "TRIPLE TEST" steel. **Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.**

Length Feet	Width at Ends Inches	Width at Center Inches	Gauge Tooth Edge	Gauge, Back at Center	Gauge, Back at Ends	Weight, Each Pounds	Price Each
4 ¹ / ₂	3 ¹ / ₂	5 ³ / ₄	15	19	17	4	
5	3 ¹ / ₂	5 ³ / ₄	15	19	17	5	
5 ¹ / ₂	3 ¹ / ₂	5 ³ / ₄	14	18	16	6	
6	3 ¹ / ₂	5 ³ / ₄	14	18	16	7	

Prices do not include handles

No. 970 "PENN STATE", Olympic, (Perforated Lance Tooth)



No. 970 Four cutter and one raker tooth is a popular favorite. A good stiff blade, uniformly hardened. Made of our famous "TRIPLE TEST" steel. Long, well filed and set teeth to withstand hard sawing. TAPER GROUND. Four gauges thinner on back than on tooth edge. **Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.**

Length Feet	Width at Ends Inches	Width at Center Inches	Gauge Tooth Edge	Gauge, Back at Center	Gauge, Back at Ends	Weight, Each Pounds	Price Each
4 ¹ / ₂	3 ¹ / ₂	5 ³ / ₄	15	19	17	4	
5	3 ¹ / ₂	5 ³ / ₄	15	19	17	5	
5 ¹ / ₂	3 ¹ / ₂	5 ³ / ₄	14	18	16	6	
6	3 ¹ / ₂	5 ³ / ₄	14	18	16	7	


Prices do not include handles

Order Through Your Jobber

PENNSYLVANIA SAW CORPORATION

Cross-Cut Saws

No. 700 "PEERLESS", (Plain Tooth)



No. 700 A special hardened and tempered blade of the right width and thickness to insure fast and easy sawing. A high grade saw in every respect for general use. Large sharp teeth are accurately filed and set ready for use. **Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.**

Length Feet	Width at Ends Inches	Width at Center Inches	Gauge Tooth Edge	Weight, Each Pounds	Price Each
4 1/2	3 1/2	5 3/4	14	4 1/4	
5	3 1/2	5 3/4	14	5 1/4	
5 1/2	3 1/2	5 3/4	14	6 1/2	
6	3 1/2	5 3/4	14	7 3/4	

Prices do not include handles

No. 800 "PEERLESS", (Champion Tooth)



No. 800 One of the most popular all purpose saws. Long sharp teeth, two cutter and one raker type. Well filed and set. An excellent saw for heavy work. Flat ground. Full weight. Excellent temper. **Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.**

Length Feet	Width at Ends Inches	Width at Center Inches	Gauge Tooth Edge	Weight, Each Pounds	Price Each
4 1/2	3 1/2	5 3/4	14	4 1/4	
5	3 1/2	5 3/4	14	5 1/4	
5 1/2	3 1/2	5 3/4	14	6 1/2	
6	3 1/2	5 3/4	14	7 3/4	

Prices do not include handles

No. 600 "PEERLESS", (Perforated Lance Tooth)



No. 600 An excellent saw for heavy duty work, especially in connection with damp or fibrous woods. Extra sharp teeth. One raker tooth for every four cutter teeth. Accurately filed and set. Flat ground. Constructed for ease in operation. Full temper. **Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.**

Length Feet	Width at Ends Inches	Width at Center Inches	Gauge Tooth Edge	Weight, Each Pounds	Price Each
4 1/2	3 1/2	5 3/4	14	4 1/4	
5	3 1/2	5 3/4	14	5 1/4	
5 1/2	3 1/2	5 3/4	14	6 1/2	
6	3 1/2	5 3/4	14	7 3/4	

Prices do not include handles

Cross-Cut Saw Handles

No. 64 is 9 1/2 inches long. Made of first quality hardwood. Extra long, electric welded steel loop.

No.	Weight per Pair Lbs.	Price per 1 Dozen Pair	Packed 1/2 Dozen Pair
64	1 1/4		1/2 doz. pr.

No. 65 is 13 inches long. Stocky grip. Well seasoned hardwood. Malleable iron bolt and wing nut.

No.	Weight per Pair Lbs.	Price per 1 Dozen Pair	Packed 1/2 Dozen Pair
65	1 1/4		1/2 doz. pr.

No. 66. Extra Heavy loop rod handle. Length of handle, not including loop, 8-inches. Finest select hardwood. Loop extends through entire length of handle and screws in to top casting, making a very rigid construction. Heavy high tensile steel loop, electric welded. This handle will stand up indefinitely under heavy work and rough usage.

No.	Weight per Pair Lbs.	Price per 1 Dozen Pair	Packed 1/2 Dozen Pair
66	1 1/2		1/2 doz. pr.

PLAIN TAB FOR CROSS CUT SAW HANDLE



This cross cut saw handle tab is made of full gauge steel, strong and durable. Size 2-inches wide; 3 1/2 inches long. Oiled finish. Three rivet holes. Rivets included with tabs.

No.	Weight per Dozen Pair	Packing	Price per Pair Tap and Rivets
89	7 pounds	1 dozen pair	